

Enfamil® Infant Formula Powder
Yields about One Quart

NOTE: Powdered products are not commercially sterile and should not be used for premature or immunocompromised patients unless clinically required, and then under strict medical supervision of preparation and use.

Calories Desired Kcal/fl oz	Amount of Powder, Grams (Approximate Household Measures*)	Amount of Water Fluid Ounces
10	63 g (1/2 cup + 1 Tbsp)	30.5
15	95 g (3/4 cup + 1 Tbsp + 1 tsp)	29.5
20	127 g (1 cup + 2 Tbsp)	28.5
22	139 g (1 cup + 3 Tbsp + 2 tsp)	28.5
24	152 g (1-1/3 cup + 1 tsp)	28
26	165 g (1-1/3 cup + 2 Tbsp)	28
27	171 g (1-1/2 cup + 1 tsp)	27.5
28	177 g (1-1/2 cup + 1 Tbsp)	27.5
30	190 g (1-2/3 cup + 1 tsp)	27

*Household measures of Enfamil Infant should be unpacked, level, standard measures

Weighing powder product provides the most accurate final preparation. Approximate household measurements are provided as a convenience when a precise dilution is not required.

One-half fluid ounce of water can be measured using one Tablespoon (1 Tbsp water = ½ fl oz water)